




alu-rex

GUTTER HANGERS AND GUARDS PRODUCT GUIDE




FASTENING SYSTEMS OVER THE YEARS



1980

SPIKES AND FERRULES

1990
SPACED BRACKETS




TODAY
CONTINUOUS HANGERS™


The Continuous Hanger™ is the only fastening system that ensures gutters remain strong and rigid along their entire length. It eliminates the weaknesses that other systems generate between nails and spaced hangers.

CONTINUOUS HANGERS™ : EXPLAINED


Rain gutters are commonly installed with spaced hangers that cause weak spots on the gutter between each hanger.



To avoid weak spots, hundreds of hangers would need to be added, but this is not a very efficient practice.



With a **Continuous Hanger™**, the rain gutters are reinforced along their entire length.



COMPARISON OF GUTTER SYSTEMS




Sturdiness



Drainage

Spaced Brackets




Weak points generated
between nails and hangers



Reduced drainage capacity
due to obstruction risk



trex®
Continuous Hanger™



Support of 250 lb (113 kg)
per linear foot



Drainage capacity of 29.7 in
(754 mm) per hour per linear foot



hover.
Floating Continuous Hanger™




hover:
Additional reinforcement for
gutters of 30 feet or more



Drainage capacity of 29.7 in
(754 mm) per hour per linear foot



double pro®
Continuous Hanger™
with Built-In Gutter Guard



Support of 425 lb (193 kg)
per linear foot



Drainage capacity of 40.6 in
(1031 mm) per hour per linear foot



hover.pro™
Floating Continuous Hanger™
with Built-In Gutter Guard

hover.pro®
Additional reinforcement for
gutters of 30 feet or more



Drainage capacity of 40.6 in
(1031 mm) per hour per linear foot





Clog-Free Protection



Sturdiness Warranty



Clog-Free Warranty



5

Thermal Protection Level


No protection	No warranty	No warranty (Maintenance required 4 to 5 times per year)	Low
Prevention of large debris from entering gutters	Lifetime sturdiness warranty	25-year prorated clog-free warranty (Maintenance required once per year)	Good
Prevention of large debris from entering gutters	Lifetime sturdiness warranty	25-year prorated clog-free warranty (Maintenance required once per year)	Excellent
Prevention of leaves and fine debris, including pine needles, from entering gutters	Lifetime sturdiness warranty	Lifetime clog-free warranty even in coniferous areas (Maintenance only if needed)	Good
Prevention of leaves and fine debris, including pine needles, from entering gutters	Lifetime sturdiness warranty	Lifetime clog-free warranty even in coniferous areas (Maintenance only if needed)	Excellent

THE ALU-REX PRODUCT HANGERS AT A GLANCE

COMPLETE INSTALLATION AND PROTECTION SOLUTIONS FOR NEW GUTTERS

DoublePro® is a patented dual-action gutter protection system. This Continuous Hanger™ with built-in guard is designed to stand up to the worst weather conditions in North America and keep your gutters free of debris and ice year after year.



HoverPro™ is the improved continuous fastening system with built-in guard that allows gutters to be suspended instead of screwing through them using the patented Floating™ technology. It is compatible with hemmed-back gutters.



INSTALLATION OF NEW GUTTERS

T-Rex® is a continuous fastening system for gutters. It mounts rain gutters solidly on houses, making them much sturdier and longer-lasting than those mounted with spikes and hangers spaced at intervals.

Hover™ is the improved continuous fastening system that allows gutters to be suspended instead of screwing through them using the patented Floating™ technology. It is compatible with hemmed-back gutters.



TOP 5 REASONS TO CHOOSE ALU-REX



SAVING INSTALLATION TIME

Cutting labor costs or installing more jobs every day.



EASILY SELLS ON EVERY JOB

Half of your clients need a leaf guard, but 100% need the strongest hanger on the market.



COMPETITIVE PRICING + CUTTING-EDGE TECHNOLOGY

Our range of products allows you to have a good, better, best strategy.



LIFETIME WARRANTY

The only gutter hanger offering a lifetime sturdiness warranty to your customers!



HOMEOWNER BENEFITS

Best product quality/price in the industry.
A 2-in-1 product for homeowners:
DoublePro® & HoverPro™.

HANGER SYSTEM

GUTTER GUARD

double  pro®

CONTINUOUS HANGER™ WITH BUILT-IN GUTTER GUARD


**LIFETIME
WARRANTY**
CLOG-FREE & STURDINESS




vortex™ TECHNOLOGY

With the Vortex™ technology, the suction created by the two membranes makes it possible to drain three times more water than recorded in the heaviest storms.



roll@back™ TECHNOLOGY

This technology sends excess rainwater back into the gutter for truly high-volume drainage capabilities. No overflow, according to independent tests.



Unparalleled Strength

The DoublePro® Continuous Hanger™ reinforces the rain gutter from end to end, ensuring uniform support along its entire length without any weak points. With the capacity to withstand up to 425 lb (193 kg) per linear foot, it guarantees unmatched durability.



eclipse™ TECHNOLOGY

The offset holes of the Eclipse™ technology make it the perfect filter, allowing water to drain freely while blocking pine needles and leaves without ever getting clogged.



**WATCH THE QUICK STEPS
OF AN INSTALLATION**

See how it saves time,
cuts costs, and lets
you sell more jobs.



**WATCH
PRODUCT VIDEO**

TO ORDER




D-11500 CARBON BLACK

PRODUCT

Aluminum
Carbon Black and clear backer
200 screws included
12 end trims included
Length: 7.5'
Top layer thickness: 0.017"
Bottom layer thickness: 0.014"

PACKAGING

24 pcs per ctn
180' per ctn
Ctn: 90" x 11" x 5" 47 lb
24 ctns per skid (4,320')
Skid: 92" x 45" 1,200 lb




D-11600 CARBON BLACK

PRODUCT

Aluminum
Carbon Black and clear backer
200 screws included
12 end trims included
Length: 7.5'
Top layer thickness: 0.017"
Bottom layer thickness: 0.014"

PACKAGING


24 pcs per ctn
180' per ctn
Ctn: 90" x 14" x 5" 56 lb
24 ctns per skid (4,320')
Skid: 92" x 45" 1,344 lb



ACCESSORIES

END TRIMS

- > Aluminum + FlexSeal™
- > Carbon Black
- > 12 trims per bag
 - TR-500 (5")
 - TR-600 (6")




SCREWS

- > Black head hex ¼"
- > Neoprene washer
- > Dacrotized steel
- > Bag of 100 screws # 10 1-½ screw
- SCREW1011/2BK (BLACK)




CUT-FREE UNIVERSAL CORNERS

- > Aluminum
- > Carbon Black
- > Top layer thickness: 0.017"
- > Bottom layer thickness: 0.014"
- > 10 corners
 - UCF-11500 (5")
 - UCF-11600 (6")



UNIVERSAL ACCESSORY

- > Aluminum
- > Carbon Black
- > Top layer thickness: 0.017"
- > Bottom layer thickness: 0.014"
- > 10 corners or 20 access panels
 - UA-11500 (5")
 - UA-11600 (6")



t rex®

CONTINUOUS HANGER™ FOR RAIN GUTTERS



**LIFETIME
WARRANTY
STURDINESS**




Sturdy Aluminum

Made from aluminum grade 3105 H24, with a sturdy 0.0175" thickness, our product guarantees remarkable strength. Count on its durability for top-notch performance in any setting.



Self-Sealing Screws

The hanger is installed with black Dracotized self-sealing screws, steel-made #10 - 1½" (38 mm) in size, with ¼" (6.4 mm) hexagon heads and integrated rubber gaskets. It reinforces the gutter and reduces the risk of water seeping into the fascia. Screws are included with the product.



Unparalleled Strength

With the T-Rex® Continuous Hanger™, your rain gutters are reinforced from end to end, ensuring uniform support across the entire length with no weak points. It can hold 250 lb (113 kg) per linear foot.



**WATCH THE QUICK STEPS
OF AN INSTALLATION**

See how it saves time,
cuts costs, and lets
you sell more jobs.



**WATCH
PRODUCT VIDEO**

TO ORDER




M-5200 B95

CARBON BLACK
PRODUCT

Aluminum
Carbon Black backer
300 screws included
Length: 7.5'
Thickness: 0.017"

PACKAGING

48 pcs per ctn
360' per ctn
Ctn: 90" x 11" x 8" 56 lb
20 ctns per skid (7,200')
Skid: 92" x 45" 1,120 lb




M-5200

MILL
PRODUCT

Aluminum
Gold backer
300 screws included
Length: 7.5'
Thickness: 0.017"

PACKAGING

48 pcs per ctn
360' per ctn
Ctn: 90" x 11" x 8" 56 lb
20 ctns per skid (7,200')
Skid: 92" x 45" 1,120 lb




M-6200 B95

CARBON BLACK
PRODUCT

Aluminum
Carbon Black backer
300 screws included
Length: 7.5'
Thickness: 0.017"

PACKAGING

34 pcs per ctn
255' per ctn
Ctn: 90" x 13" x 6" 48 lb
24 ctns per skid (6,120')
Skid: 92" x 45" 1,152 lb




M-6200

MILL
PRODUCT

Aluminum
Gold backer
300 screws included
Length: 7.5'
Thickness: 0.017"

PACKAGING

34 pcs per ctn
255' per ctn
Ctn: 90" x 13" x 6" 48 lb
24 ctns per skid (6,120')
Skid: 92" x 45" 1,152 lb




M-7200 B95

CARBON BLACK *
PRODUCT

Aluminum
Carbon Black backer
200 screws included
Length: 7.5'
Thickness: 0.021"

PACKAGING

24 pcs per ctn
180' per ctn
Ctn: 90" x 13" x 8" 50 lb
20 ctns per skid (3,600')
Skid: 92" x 45" 1,000 lb




M-7200

MILL *
PRODUCT

Aluminum
Gold backer
200 screws included
Length: 7.5'
Thickness: 0.021"

PACKAGING

24 pcs per ctn
180' per ctn
Ctn: 90" x 13" x 8" 50 lb
20 ctns per skid (3,600')
Skid: 92" x 45" 1,000 lb




*Minimum order of 1 skid. Ask your Alu-Rex account manager or your distributor for more information.

ACCESSORIES

OUTSIDE CORNERS

- > Aluminum
- > Carbon Black or Mill finish
- > Thickness: 0.017"
- > 20 pieces per ctn
- OC-5200D B95 (5" BLACK)
- OC-6200D B95 (6" BLACK)
- OC-5200D (5" MILL)
- OC-6200D (6" MILL)



ACCESS PANELS

- > Easy way to access the gutter
- > 20 pieces per ctn
- AP-5200 B95 (5" BLACK)
- AP-6200 B95 (6" BLACK)
- AP-5200 (5" MILL)
- AP-6200 (6" MILL)




BITS

- > 6" long
- > Head hex 1/4"
- > Magnetic



INSIDE CORNERS

- > Aluminum
- > Carbon Black or Mill finish
- > Thickness: 0.017"
- > 20 pieces per ctn
- > Includes 10 water diverters
- IC-5200D B95 (5" BLACK)
- IC-6200D B95 (6" BLACK)
- IC-5200D (5" MILL)
- IC-6200D (6" MILL)




SCREWS

- > Black or mill head hex 1/4"
- > Neoprene washer
- > Dacrotized steel
- > Bag of 100 screws
- # 10 1-1/2 screw
- SCREW1011/2BK (BLACK)
- SCREW1011/2 (MILL)



WATER DIVERTERS

- > Included in inside corner boxes or 30 pieces per ctn
- > Thickness: 0.017"
- For M-5200 B95 (BLACK)
- For M-5200 (WHITE)



hover. pro™

Floating Continuous Hanger™ with Built-In Gutter Guard



Innovative Fastening System

Utilizing patented Floating™ technology, gutters can be suspended from the building fascia without even puncturing them. As a result, they maintain their ability to change shape without expansion joint.



eclipse™ TECHNOLOGY

The offset holes of the Eclipse™ technology make it the perfect filter, allowing water to drain freely while blocking pine needles and leaves without ever getting clogged.



vortex™ TECHNOLOGY

With the Vortex™ technology, the suction created by the two membranes makes it possible to drain three times more water than recorded in the heaviest storms.



Unparalleled Strength

The HoverPro™ Continuous Hanger™ ensures uniform support from end to end. Its design avoids puncturing the gutters, preserving their condition, providing unparalleled strength and extended lifespan. It's the only gutter system you will ever need.



Durability

Engineered for durability and resilience, the HoverPro™ stands strong against heavy weights and adverse weather. Its innovative SpringBack™ technology prevents gutter distortion, even under loads surpassing 425 lb per linear foot, by uniformly distributing pressure along its entire length.



INSTALLATION



→ Welcome beyond

TO ORDER





HP-11500 **CARBON BLACK**

PRODUCT

Aluminum
Carbon Black and clear backer
200 screws included
12 end trims included
Length: 7.5'
Top layer thickness: 0.017"
Bottom layer thickness: 0.014"

PACKAGING

24 pcs per ctn
180' per ctn
Ctn: 90" x 11" x 5" 47 lb
24 ctns per skid (4,320')
Skid: 92" x 45" 1,200 lb





HP-11600 **CARBON BLACK**

PRODUCT

Aluminum
Carbon Black and clear backer
200 screws included
12 end trims included
Length: 7.5'
Top layer thickness: 0.017"
Bottom layer thickness: 0.014"

PACKAGING


24 pcs per ctn
180' per ctn
Ctn: 90" x 14" x 5" 56 lb
21 ctns per skid (3,780')
Skid: 92" x 45" 1,229 lb



ACCESSORIES

END TRIMS

- > Aluminum + FlexSeal™
- > Carbon Black
- > 12 trims per bag
 - TR-500 (5")
 - TR-600 (6")




SCREWS

- > Black head hex ¼"
- > Neoprene washer
- > Dacrotized steel
- > Bag of 100 screws # 10 1-½ screw
- SCREW1011/2BK (BLACK)




CUT-FREE UNIVERSAL CORNERS

- > Aluminum
- > Carbon Black
- > Top layer thickness: 0.017"
- > Bottom layer thickness: 0.014"
- > 10 corners
 - UCF-11500 (5")
 - UCF-11600 (6")



UNIVERSAL ACCESSORY

- > Aluminum
- > Carbon Black
- > Top layer thickness: 0.017"
- > Bottom layer thickness: 0.014"
- > 10 corners or 20 access panels
 - UA-11500 (5")
 - UA-11600 (6")



hover.™ Floating Continuous Hanger™



Durability

Engineered for durability and resilience the Hover™ stands strong against heavy weights and adverse weather. Its innovative SpringBack™ technology prevents gutter distortion, even under loads surpassing 400 lb per linear foot, by uniformly distributing pressure along its entire length.




Innovative Fastening System

Utilizing patented Floating™ technology, gutters can be suspended from the building fascia without even puncturing them. As a result, they maintain their ability to change shape without expansion joint.



Unparalleled Strength

The Hover™ Continuous Hanger™ ensures uniform support from end to end. Its design avoids puncturing the gutters, preserving their condition, providing unparalleled strength and extended lifespan. It's the only gutter system you will ever need.



INSTALLATION



PRODUCT VIDEO



→ Welcome beyond

TO ORDER





H-5000 CARBON BLACK

PRODUCT

Aluminum
Carbon Black backer
300 screws included
12 end trims included
Length: 7.5'
Thickness: 0.017"

PACKAGING

48 pcs per ctn
360' per ctn
Ctn: 90" x 14" x 7" 56 lb
18 ctns per skid (6,480')
Skid: 92" x 45" 1,282 lb





H-6000 CARBON BLACK

PRODUCT


Aluminum
Carbon Black backer
300 screws included
12 end trims included
Length: 7.5'
Thickness: 0.017"

PACKAGING

34 pcs per ctn
255' per ctn
Ctn: 90" x 13" x 6" 54 lb
21 ctns per skid (5,355')
Skid: 92" x 45" 1,246 lb




ACCESSORIES



UNIVERSAL CORNERS AND ACCESS PANELS (3 IN 1)

- > Aluminum
- > Carbon Black
- > Thickness: 0.017"
- > 15 corners or 30 panels per ctn
 - UA-5000 (5")
 - UA-6000 (6")



END TRIMS

- > Aluminum + FlexSeal™
- > Carbon Black
- > 12 trims per bag
 - TR-500 (5")
 - TR-600 (6")



SCREWS

- > Black head hex 1/4"
- > Neoprene washer
- > Dacrotized steel
- > Bag of 100 screws # 10 1-1/2 screw
 - SCREW1011/2BK (BLACK)

gutter clean[®] pro

Retrofit Dual-Layer Microfiltration Gutter Protection

Born from decades of innovation and powered by patented technologies, Gutter Clean Pro[®] is the next generation of performance and reliability. It installs easily over existing gutters without replacement, effectively keeping out even fine debris like pine needles and preventing clogs.




eclipse[™] TECHNOLOGY

The offset holes of the Eclipse[™] technology make it the perfect filter, allowing water to drain freely while blocking pine needles and leaves without ever getting clogged.



vortex[™] TECHNOLOGY

With the Vortex[™] technology, the suction created by the two membranes makes it possible to drain three times more water than recorded in the heaviest storms.



LIFETIME
CLOG-FREE WARRANTY



Dual-action protection

A perfect combination of two perforated aluminum membranes: the lower layer with large oblong openings and the upper layer with precisely offset micro-perforations, forming an ideal filter.



rollback⁺ TECHNOLOGY

An enhanced U-shape created by the elevated front curve, redirects overflowing rainwater back into the gutter, even in extreme downpours. Built to handle high-volume drainage without spillover — tested and proven in real-world conditions.



TO ORDER

5"


GCP-5300 CARBON BLACK

PRODUCT

Aluminum
Carbon Black and clear backer
1 bag of 12 vinyl trims
for corner included
Length: 7.5'
Top layer thickness: 0.017"
Bottom layer thickness: 0.014"

PACKAGING

24 pcs per ctn
180' per ctn
Ctn: 90" x 12" x 5" 44 lb
24 ctns per skid (4,320')
Skid: 92" x 45" 1,056 lb



Fits all types of brackets

6"


GCP-6300 CARBON BLACK

PRODUCT

Aluminum
Carbon Black and clear backer
1 bag of 12 vinyl trims
for corner included
Length: 7.5'
Top layer thickness: 0.017"
Bottom layer thickness: 0.014"

PACKAGING

24 pcs per ctn
180' per ctn
Ctn: 90" x 14" x 5" 50 lb
24 ctns per skid (4,320')
Skid: 92" x 45" 1,200 lb



Fits all types of brackets

ACCESSORIES

CORNER TRIMS

- > Flexible vinyl strip
- > 12 trims per bag
- TRC-5300 (5")
- TRC-6300 (6")



Let It **Rain**. Let It **Fall**.
We've Got You **Covered**.

gutter  clean[®]
SYSTEM


RETRO-FIT RAIN GUTTER PROTECTION

The Gutter Clean System[®] is professionally installed over rain gutters without replacing them, keeping leaves and debris from getting into and clogging the gutters.




flexi**seal**[™] TECHNOLOGY

The FlexSeal[™] technology is made of materials resistant to UV rays, mold and temperature variations ensuring, that the back of the gutter is watertight.



alu**perf**[™] TECHNOLOGY

AluPerf[™] technology's optimized perforations size create the perfect combination of maximum drainage and minimum debris. It drains 29.7" (754 mm) of water per hour.



roll**@**back[™] TECHNOLOGY

This technology sends excess rainwater back into the gutter for truly high-volume drainage capabilities.


TO ORDER

5"

M-5300 B95 CARBON BLACK

PRODUCT Aluminum
Carbon Black backer
Length: 7.44'
Thickness: 0.017"


PACKAGING 43 pcs per ctn
320' per ctn
Ctn: 90" x 12" x 5" 42 lb
24 ctns per skid (7,680')
Skid: 92" x 45" 1,008 lb



M-5300 MILL

PRODUCT Aluminum
Gold backer
Length: 7.44'
Thickness: 0.017"


PACKAGING 43 pcs per ctn
320' per ctn
Ctn: 90" x 12" x 5" 42 lb
24 ctns per skid (7,680')
Skid: 92" x 45" 1,008 lb



M-53ZIP B95 CARBON BLACK

PRODUCT Aluminum
Carbon Black backer
Length: 7.44'
Thickness: 0.017"


PACKAGING 43 pcs per ctn
320' per ctn
Ctn: 90" x 12" x 6" 52 lb
21 ctns per skid (6,720')
Skid: 92" x 45" 1,092 lb



M-53ZIP MILL

PRODUCT Aluminum
Gold backer
Length: 7.44'
Thickness: 0.017"


PACKAGING 43 pcs per ctn
320' per ctn
Ctn: 90" x 12" x 6" 52 lb
21 ctns per skid (6,720')
Skid: 92" x 45" 1,092 lb



MC-5300 COPPER

PRODUCT Copper
100 screws included
Length: 7.5'
Thickness: 0.016"

PACKAGING 16 pcs per ctn
120' per ctn
Ctn: 90" x 7" x 3" 48 lb
35 ctns per skid (4,200')
Skid: 92" x 45" 1,680 lb




6"

M-6300 B95 CARBON BLACK

PRODUCT Aluminum
Carbon Black backer
Length: 7.44'
Thickness: 0.017"


PACKAGING 43 pcs per ctn
320' per ctn
Ctn: 90" x 13" x 6" 52 lb
21 ctns per skid (6,720')
Skid: 92" x 45" 1,092 lb



M-6300 MILL

PRODUCT Aluminum
Gold backer
Length: 7.44'
Thickness: 0.017"


PACKAGING 43 pcs per ctn
320' per ctn
Ctn: 90" x 13" x 6" 52 lb
21 ctns per skid (6,720')
Skid: 92" x 45" 1,092 lb



M-63ZIP B95 CARBON BLACK

PRODUCT Aluminum
Carbon Black backer
Length: 7.44'
Thickness: 0.017"


PACKAGING 43 pcs per ctn
320' per ctn
Ctn: 90" x 13" x 6" 54 lb
21 ctns per skid (6,720')
Skid: 92" x 45" 1,134 lb



M-63ZIP MILL

PRODUCT Aluminum
Gold backer
Length: 7.44'
Thickness: 0.017"


PACKAGING 43 pcs per ctn
320' per ctn
Ctn: 90" x 13" x 6" 54 lb
21 ctns per skid (6,720')
Skid: 92" x 45" 1,134 lb



MC-6300 COPPER

PRODUCT Copper
100 screws included
Length: 7.5'
Thickness: 0.016"

PACKAGING 16 pcs per ctn
120' per ctn
Ctn: 90" x 7" x 3" 56 lb
35 ctns per skid (4,200')
Skid: 92" x 45" 1,960 lb



RAIN GUTTER PROTECTION FOR HALF-ROUND GUTTERS


TO ORDER



HR-540 **MILL** **INSIDE BEAD**

PRODUCT Aluminum
Gold backer
Length: 7.5'
Thickness: 0.0215"


PACKAGING 16 pcs per ctn
120' per ctn
Ctn: 90.25" x 7.75" x 2.25" 22 lb
40 ctns per skid (4,800')
Skid: 92" x 45" 880 lb



HRC-5400 **COPPER** **INSIDE BEAD**

PRODUCT Copper
100 screws included
Length: 7.5'
Thickness: 0.016"


PACKAGING 16 pcs per ctn
120' per ctn
Ctn: 90.25" x 7.75" x 2.25" 49 lb
24 ctns per skid (2,880')
Skid: 92" x 45" 1,176 lb



HR-6400 **MILL** **INSIDE BEAD**

PRODUCT Aluminum
Gold backer
Length: 7.5'
Thickness: 0.0215"


PACKAGING 16 pcs per ctn
120' per ctn
Ctn: 90.25" x 7.75" x 2.25" 25 lb
40 ctns per skid (4,800')
Skid: 92" x 45" 1,000 lb



HRC-6400 **COPPER** **INSIDE BEAD**

PRODUCT Copper
100 screws included
Length: 7.5'
Thickness: 0.016"



PACKAGING 16 pcs per ctn
120' per ctn
Ctn: 90.25" x 7.75" x 2.25" 57 lb
24 ctns per skid (2,880')
Skid: 92" x 45" 1,368 lb



HR333D-20 **CLEAR** **OUTSIDE BEAD**

PRODUCT Aluminum
Clear backer
44 Stainless steel clips included
40 Stainless steel supports included
Length: 6.6' (2m)
Thickness: 0.0215"

PACKAGING 10 pcs per ctn
65.62' (20m) per ctn
Ctn: 90.25" x 7.75" x 2.25" 16 lb
48 ctns per skid (4,800')
Skid: 92" x 45" 880 lb



COMPATIBILITY

Multiple profiles of half-round gutters are available on the market. Make sure your style of gutter matches our product specifications.

COMPARISON OF GUTTER SYSTEMS

HANGING SYSTEMS



Sturdiness



Drainage

Leaves
ProtectionNeedles
ProtectionEasy to
MaintainSturdiness
WarrantyClog-Free
Warranty

trex®
Continuous Hanger™

Lifetime
warranty25-year
warranty

Spaced Hangers



No protection

No protection



No warranty

No warranty

GUTTER GUARDS



Sturdiness



Drainage

Leaves
ProtectionNeedles
ProtectionEasy to
MaintainWarranty on
SturdinessWarranty on
Clog-Free

double pro®
Continuous Hanger™
with Built-In Gutter Guard

Lifetime
warrantyLifetime
warranty

gutter clean®
Retro-Fit Rain Gutter
Protection



No warranty

25-year
warranty

Metal Screens



No warranty

From
0 years to
20 or 25 years

Micromesh



No warranty

From
25 years
to lifetime

Reverse Curve

No sturdiness



No warranty

Lifetime
warranty

Inserts (foam or brush)

No sturdiness



No warranty

From
1 year to
5 years



LEADING THE WAY TOWARD INNOVATION

Our patents and trademarks reflect our commitment to excellence, innovation, and the pursuit of new industry standards through dedicated research and development.



ALU-REX.COM • 1.855.525.8739